

Nederlands

- 1 Brand PLP, Haan WSM de, Affourtit MJ, Tibboel D, Verhulst FC, Molenaar JC. Psychosociale aspecten van het zogenaamde korte-darmsyndroom bij kinderen. Ned Tijdschr Geneesk 1989; 133:2078-81.
- 2 Brand PLP, Brus F, Zwierstra RP. Verdraaid? [klinische les]. Ned Tijdschr Geneesk 1991; 135:1017-20.
- 3 Graaf MY de, Verhagen E, Brand PLP. Meconiumhoudend vruchtwater en hoe te handelen bij de pasgeborene [klinische les]. Ned Tijdschr Geneesk 1994; 138:993-5.
- 4 Brand PLP, Boonstra S, Aalderen WMC van. Volledig herstel na hemorrhagische shock-encefalopathiesyndroom [casuïstische mededeling]. Ned Tijdschr Geneesk 1994; 138:1478-81.
- 5 Frans GJM, Brand PLP, Muskiet FD. Onvoldoende screening op congenitale lues op Curacao, 1987-1991. Ned Tijdschr Geneesk 1994; 138:1712-5.
- 6 Brand PLP, Aalderen WMC van, Gerritsen J. Systemische bijwerkingen van inhalatiesteroïden: een literatuuroverzicht. Tijdschr Kindergeneesk 1994; 62:261-5.
- 7 Brand PLP. Dekbed vormt risicofactor voor wiegedood [ingezonden]. Ned Tijdschr Geneesk 1994; 138:2459.
- 8 Brand PLP, Muskiet FD, Heymans HSA. Systematische aanpak van een moeilijk diagnostisch probleem [klinische les]. Ned Tijdschr Geneesk 1995; 139: 2337-40.
- 9 Brand PLP. Systematische aanpak van een moeilijk diagnostisch probleem [ingezonden]. Ned Tijdschr Geneesk 1996; 140: 106-7 en 331-2.
- 10 Brand PLP, Kimpen JLL, Gerritsen J, Aalderen WMC van. Exacerbaties van luchtwegklachten en gebruik van antibiotica bij kinderen [klinische les]. Ned Tijdschr Geneesk 1996; 140: 913-6.
- 11 Duijvestijn YCM, Gerritsen J, Brand PLP. Acetylcysteïne bij kinderen met longaandoeningen voorgeschreven door eenderde van de huisartsen; geen onderbouwing in de literatuur. Ned Tijdschr Geneesk 1997; 141: 826-30. Reactie op ingezonden brief, p. 1212-3 en p. 1542
- 12 Brand PLP, Bor M van de, Fetter WPF, Kollée LAA, Leeuw R de, Nef JJEM de. Hyperbilirubinemie bij voldragen pasgeborenen: gevolgen voor de ontwikkeling op lange termijn vallen mee. Ned Tijdschr Geneesk 1997; 141: 144-7.
- 13 Fetter WPF, Bor M van de, Brand PLP, Kollée LAA, Leeuw R de, Nef JJEM de. Hyperbilirubinemie bij gezonde voldragen pasgeborenen: richtlijnen voor diagnostiek en behandeling. Ned Tijdschr Geneesk 1997; 141: 140-3.
- 14 Brand PLP, Hoekstra MO. Diagnostiek en behandeling van recidiverend hoesten en piepen bij kinderen jonger dan 4 jaar. Ned Tijdschr Geneesk 1997; 141: 464-7.
- 15 Nienhuis MB, Inia H, Martijn A, Brand PLP. Waarde van een thoraxfoto bij kinderen met astma. Tijdschr Kindergeneesk 1998; 66: 53-6.
- 16 Brand PLP, Duiverman EJ. Kinderen die hoesten en piepen: minder klachten als de ouders stoppen met roken [klinische les]. Ned Tijdschr Geneesk 1998; 142: 825-7.
- 17 Brand PLP. Het voordeel van fluticason nader onderzocht: kinderartsen bij advisering betrekken. Pharm Weekbl 1998; 133: 654-5.
- 18 Brand PLP, van Aalderen WMC. Astma bij jonge kinderen: verschillen in therapie tussen huisartsen en kinderartsen, en beloop van klachten in 1-2,5 jaar. Ned Tijdschr Geneesk 1998; 142: 1501-4.
- 19 Roorda RJ, Walhof CM, Brand PLP. Behandeling van laryngitis subglottica (pseudokroep): steroïden in plaats van stomen. Ned Tijdschr Geneesk 1998; 142: 1658-62. Reactie op ingezonden brief 1998; 142: 2217.
- 20 Steenhuis TJ, Brand PLP. Bronchiolitis en het risico op bacteriële superinfecties. Tijdschr Kindergeneesk 1999; 67: 185-9.
- 21 Brand PLP, Hendriks JJE, Vaessen-Verberne AAPH. Inhalatiecorticosteroiden en de groei van kinderen met astma. Ned Tijdschr Geneesk 1999; 143: 2041-5.
- 22 Brand PLP, Vaessen-Verberne AAPH. Diagnostiek en behandeling van kinderen met acute bronchiolitis door infectie met respiratoir syncytieel virus; resultaten van een enquête onder alle Nederlandse kinderartsenpraktijken in 1998. Ned Tijdschr Geneesk 2000; 144: 20-3.
- 23 Kamps AWA, Brand PLP. Bronchiolitis obliterans: een zeldzame, maar goed herkenbare oorzaak van recidiverend hoesten en piepen. Tijdschr Kindergeneesk 2000; 68: 65-8.
- 24 Lucas-Bouwman ME, Koen MD, ter Brugge HG, Rutten CLG, Brand PLP. Samenhang tussen indicatie voor

- sectio caesarea en noodzaak van reanimatie van de neonatus. Ned Tijdschr Geneesk 2000; 144:897-900.
- 25 Vries TW de, Wormmeester L, Pinxteren-Nagler E van, Bakker AJ, Brand PLP. Routinematig laboratoriumonderzoek bij kinderen, verwezen wegens recidiverend piepen en/of astma, niet zinvol. Ned Tijdschr Geneesk 2000;144:2107-11.
 - 26 Smits-Wintjens VEHJ, Zwart P, Brand PLP. Veronderstelde koemelkeiwit-overgevoeligheid bij excessief huilende zuigelingen: gewenste en ongewenste effecten van een eliminatiedieet. Ned Tijdschr Geneesk 2000;144:2285-7.
 - 27 Brand PLP. Nadelen van het liberaal stellen van de diagnose 'voedselovergevoeligheid'. Ned Tijdschr Geneesk 2000;144:2290-2.
 - 28 Lucas-Bouwman ME, Roorda RJ, Jansman FGA, Brand PLP. Prednisolon drank beter te verdragen en effectiever dan prednisolonpoeder bij de behandeling van astma-exacerbaties bij kinderen. Ned Tijdschr Geneesk 2001;145:2130-4.
 - 29 Brouwer AFJ, Gils JF van, Brand PLP, Graaf JH de. Perinatale pertussis: van moeder naar kind. Ned Tijdschr Geneesk 2001;145:2257-9.
 - 30 Kamps AWA, Brand PLP, Berg-Vinke JM ten, Roorda RJ. Kennis over werking en mogelijke bijwerkingen van inhalatiemedicatie vaak onvoldoende bij ouders van kinderen met astma. Tijdschr Kindergeneesk 2002;70:56-9.
 - 31 Kamps AWA, Roorda RJ, Brand PLP. De piekstroommeter: beperkte rol in de diagnostiek en follow-up bij kinderen met astma. Ned Tijdschr Geneesk 2002;146:842-6.
 - 32 Eeuwijk JS van, Brand PLP. 'Nekstijfheid' bij kinderen: wel of geen meningitis? Ned Tijdschr Geneesk 2003;147:321-3.
 - 33 Duiverman EJ, Brackel HJL, Merkus PJFM, Rottier BL, Brand PLP. Richtlijn 'Astmabehandeling bij kinderen' van kinderlongartsen (2e herziening). II. Medicamenteuze behandeling. Ned Tijdschr Geneesk 2003;147:1909-13.
 - 34 Gramsbergen IMC, Brand PLP. Dubbelblinde vergelijking van de smaak van hypoallergene zuigelingenvoedingen. Ned Tijdschr Allergie 2003;6:241-5.
 - 35 Merkus PJFM, Duiverman EJ, Brackel HJL, Rottier BL, Brand PLP. Astma bij kinderen. Presentatie, Diagnostiek, Behandeling. Tijdschr Huisartsgeneesk 2004;21:25-9.
 - 36 Zwart P, Brand PLP. Excessief huilen van zuigelingen: een probleem van kind én ouders (en slechts zelden veroorzaakt door koemelkallergie). Ned Tijdschr Geneesk 2004;148:260-2.
 - 37 Brand PLP, Postma A. Pulmonaal carcinoïd bij een tiener, zich presenterend als een persisterende verdichting op de thoraxfoto. Tijdschr Kindergeneesk 2004;72:128-32.
 - 38 Brouwer AFJ, Roorda RJ, Brand PLP. Astmabehandeling bij kinderen: meer dan alleen 'puffen'. Ned Tijdschr Geneesk 2004;148:865-8.
 - 39 Velzen MF van, Roorda RJ, Brand PLP. Allergieonderzoek bij recidiverend hoesten en piepen ook bij kinderen jonger dan 4 jaar mogelijk zinvol. Ned Tijdschr Geneesk 2004;148:888-90.
 - 40 Heide K van der, Brand PLP. 'Luchtzitten' bij zuigelingen: een teken van onschuldige achterstand in de grove motoriek. Ned Tijdschr Geneesk 2004;148:1017-20.
 - 41 Brand PLP. De kans op het ontwikkelen van astma bij kinderen met constitutioneel eczeem. Ned Tijdschr Allergie 2004;6:211-6.
 - 42 Brouwer AFJ, Roorda RJ, van Reijn DA, Reinaerts IMM, Brand PLP. Inspanningsgebonden benauwdheid bij kinderen: disfunctionele ademhaling? Tijdschr Kindergeneesk 2004;72:209-12.
 - 43 Nootgedagt JE, Zwart P, Brand PLP. Oorzaken, behandeling en beloop bij zuigelingen die vanwege excessief huilen waren opgenomen op de kinderafdeling van de Isala klinieken te Zwolle, 1997/'03. Ned Tijdschr Geneesk 2005;149:472-7.
 - 44 Brand PLP, Engelbert RHH, Helders PJM, Offringa M. Systematisch literatuuronderzoek naar de effecten van behandeling bij zuigelingen met 'Kopgewrichteninvloed bij storingen in de symmetrie' ('KISS-syndroom'). Ned Tijdschr Geneesk 2005;149:703-7 (tevens verschenen in Kinderfysiotherapie september 2005:18-21 en in JGZ 2006 (1): 13-7).
 - 45 Brand PLP. Wiegendoed: de tijden veranderen. Ned Tijdschr Geneesk 2005;149:1254-6.
 - 46 Brand PLP, Rosingh HJ, Roorda RJ. Bronchoscopie bij kinderen: indicaties, bevindingen en complicaties van 54 procedures in een algemeen ziekenhuis. Tijdschr Kindergeneesk 2005;73:89-92.
 - 47 Baatenburg de Jong A, Rijdt JP te, Brand PLP. Hoesten en malaise bij jonge kinderen, ten gevolge van allergische rhinoconjunctivitis. Ned Tijdschr Geneesk 2005;149:1545-8.
 - 48 Brand PLP. Diagnose in beeld (248). Een meisje met gezwollen wangen. Ned Tijdschr Geneesk 2005;149:2221.

- 49 Hospers IC, de Vries-Vrolijk K, Brand PLP. Dubbelblinde placebogecontroleerde koemelkprovocaties bij kinderen met vermeende koemelkallergie, in een algemeen ziekenhuis: diagnose verworpen bij twee derde van de kinderen. *Ned Tijdschr Geneesk* 2006;150:1292-7.
- 50 Breur JMPJ, Brand PLP. Diagnose in beeld (281). Een meisje met koorts, keelpijn en huiduitslag. *Ned Tijdschr Geneesk* 2006;150:1508.
- 51 Brand PLP, Dubois AEJ. Preventie van allergie: een illusie [Pro en Contra]. *Ned Tijdschr Geneesk* 2006;150:2087.
- 52 Brand PLP, Dubois AEJ. Diagnostiek van voedselallergie bij kinderen. *Ned Tijdschr Geneesk* 2006;150: 2188-90.
- 53 Bindels PJE, Wouden JC van der, Ponsioen BP, Brand PLP, Salomé PL, Hensbergen W van, et al. NHG-standaard astma bij kinderen. Tweede herziening. *Huisarts Wet* 2006;49:557-72.
- 54 Baatenburg de Jong A, Rijdt JP te, Brand PLP. Hoesten en malaise bij jonge kinderen, ten gevolge van allergische rhinoconjunctivitis. *Ned Tijdschr Allergie* 2007;7:12-7.
- 55 Brand PLP. Anafylaxie: feiten en fabels. *Ned Tijdschr Geneesk* 2007;151:574-7.
- 56 Brand PLP. Chronisch en ernstig gebrek aan gegevens over chronische aandoeningen bij Nederlandse kinderen. *Ned Tijdschr Geneesk* 2007;151:1222-4.
- 57 Baatenburg de Jong A, Dikkeschei LD, Brand PLP. Testen op specifieke immunoglobulinen E (IgE) bij vermoeden van allergie bij kinderen: resultaten in een laboratorium voor huisartsen en medisch specialisten. *Ned Tijdschr Geneesk* 2007;151:2272-6.
- 58 Brand PLP, Dubois AEJ. Dubbelblinde voedselprovocaties in de praktijk. *Praktische Pediatrie* 2007;1:13-7.
- 59 Boluyt N, Brand PLP. Nieuwe Gina-richtlijn voor astmabehandeling. Aan te bevelen voor gebruik in de kindergeneeskundige praktijk? *Praktische Pediatrie* 2007;1:64-9.
- 60 Savenije OEM, Brand PLP. Wegen vóór en na de voeding: een onbetrouwbare methode om de hoeveelheid gedronken melk bij zuigelingen te bepalen. *Ned Tijdschr Geneesk* 2007;151:2718-22.
- 61 Brand PLP. Tovertrucs van de kinderarts. *Medisch Contact* 2007;62:2179-82.
- 62 Brand PLP, Timmer C. Witte vlekken op de huid bij een kind met constitutioneel eczeem. Bijwerking van de behandeling met corticosteroidzalf? *Praktische Pediatrie* 2007;1(2):38-43.
- 63 Brand PLP. 'Druppeltjes tegen allergie' bij kinderen: vaak toegepast, niet effectief. *Ned Tijdschr Geneesk* 2008; 152:241-2.
- 64 Kamps AWA, Brouwer AFJ, Roorda RJ, Brand PLP. Behandeling van astma bij kinderen: herziene internationale richtlijnen niet geschikt voor gebruik in Nederland. *Ned tijdschr Geneesk* 2008;152:1151-5.
- 65 Brand PLP, Offringa M. Ernstige bezwaren tegen het onderzoek naar het verband tussen wiegendood en kinderopvang. *Ned Tijdschr Geneesk* 2008;152:1361-4.
- 66 Baatenburg de Jong A, Dikkeschei LD, Brand PLP. Meer aangevraagde tests op specifiek IgE bij kinderen in de loop van 1985-2003 en meer positieve uitslagen. *Ned Tijdschr Geneesk* 2008;152: 1779-83.
- 67 Brand PLP, Kneepkens CMF. Preventie van allergie bij kinderen. Veranderende inzichten. *Tijdschr Kindergeneesk* 2008;76:54-60.
- 68 Brand PLP, Boendermaker PM. Feedback geven: cruciale vaardigheid in medische opleiding. *Ned Tijdschr Geneesk* 2009;153:250-3 (B141).
- 69 Strating WJ, Acker GJD van, Brand PLP, Pierik EGJM. Beoordeling van klinische en chirurgische vaardigheden: meer overeenstemming tussen beoordelaars bij gebruik van de 'Korte klinische beoordeling' (KKB) dan bij de 'Objective structured assessment of technical skills' (OSATS). *Ned Tijdschr Geneesk*. 2009;153:274-80(B9).
- 70 Doornebal N, Brand PLP. Kinderen jonger dan 1 jaar met acute dyspneu en piepen: geen orale corticosteroiden voorschrijven. *Ned Tijdschr Geneesk* 2009;153:B204.
- 71 van Lingen RA, Brand PLP. Meting en behandeling van pijn bij kinderen. Advies voor de praktijk. *Ned Tijdschr Geneesk* 2009;153:B167.
- 72 de Groot E, Brand PLP, Duiverman EJ. Voorspelling astma bij piepen op jonge leeftijd niet mogelijk. *Ned Tijdschr Geneesk* 2009;153:B197.
- 73 Brand PLP. Herkenning en behandeling van allergische rhinitis bij kinderen. *Farmacotherapie bij kinderen* 2009;1:6-11.
- 74 Kneepkens CMF, Brand PLP. Er is geen verschil in effectiviteit tussen wei-eiwithydrolysaat en caseïnehydrolysaat. *Praktische Pediatrie* 2009;3:51-2.
- 75 Doornebal N, Brand PLP. Het jonge kind met recidiverend piepen, hoesten en kortademigheid. *Tijdschr Kindergeneesk* 2009;77:231-6.

- 76 Willemink MJ, Brand PLP, Hoppenbrouwers WJF. Syndroom van Horner na spondylodese. Medisch Contact 2010;64:709.
- 77 Krabben G, Brand PLP. Urticaria: meestal geen allergische reactie. Ned tijdschr Geneeskd 2010;154:A1861.
- 78 Brand PLP. NO-meting niet zinvol bij kinderen met astma. Ned tijdschr Geneeskd 2010;154:A1804.
- 79 Brand PLP. Benauwdheid bij inspanning: meestal geen astma. Praktische Pediatrie 2010;4:260-3.
- 80 Meijer Y, Brand PLP, Duijvestijn YCM, Vlieg-Boerstra BJ. Diagnostiek naar voedselallergie in de tweede lijn. Consensusstandpunt sectie kinderallergologie. Tijdschr Kindergeneeskd 2010;78:237-43.
- 81 Brand PLP, Boendermaker PM, de Vries TW. Competentieprofiel kan veel compacter. 'Light'-versie voor opleiders en supervisors wenselijk voor visitaties. Medisch Contact 2011; 66: 23-6.
- 82 Brand PLP, Boendermaker PM, Venekamp R, Snoek JW. Supervisie volgens de STAMPPOT-methode: efficiënte integratie van patiëntenzorg en klinisch onderwijs. Ned Tijdschr Geneeskd 2011;155:A2702.
- 83 Brand PLP. NHG-Standaard 'Voedselovergevoeligheid' kan stelliger. De voedselallergietest bestaat niet. Ned Tijdschr Geneeskd 2011;155:A3104.
- 84 Boor K, Teunissen PW, Brand PLP. Richtlijn feedback in de medische vervolopleiding. Tijdschrift Medisch Onderwijs 2011;30(Suppl 2):35-49.
- 85 Brand PLP, Rijk-van Gent H. Koemelkallergie bij zuigelingen: nieuwe inzichten. Ned Tijdschr Geneeskd 2011;155:A3508.
- 86 Brand PLP. Diagnostiek van voedselallergie bij kinderen. Ned Tijdschr Allergie Astma 2011;11:92-8.
- 87 Spaans EAJM, Kleefstra N, van Hateren KJJ, Aanstoot HJ, Bilo HJG, Brand PLP. Metformine bij adolescenten en volwassenen met diabetes mellitus type 1: niet evidence-based. Ned Tijdschr Geneeskd 2011;155:A3166.
- 88 Brand PLP. Interpretatie en oordeelsvorming beïnvloeden evidencebased richtlijnen. Ned Tijdschr Geneeskd 2012;156:A4595.
- 89 Brand PLP, Boehmer ALM, Vaessen-Verberne AAPH. Recidiverend piepen en benauwdheid bij kinderen jonger dan 4 jaar. Nomenclatuur, diagnostiek en behandeling. Praktische Pediatrie 2012;6:75-80.
- 90 Klok T, Kaptein AA, Brand PLP. Het bevorderen van therapietrouw bij kinderen met astma. Praktische Pediatrie 2012;6:134-9.
- 91 Quak W, Rosingh HJ, Boomsma MF, Brand PLP. Een kleuter met hardnekkige koorts en otorroe. Praktische Pediatrie 2012;6:169-72.
- 92 Oole-Groen CJ, Brand PLP. Dubbelblinde voedselprovocaties in een algemeen ziekenhuis. Nuttig en veilig, maar niet zonder valkuilen. Ned Tijdschr Geneeskd 2013;157:A5834.
- 93 Brand PLP. Een meisje met bruine vlekjes. Praktische Pediatrie 2013;7:31.
- 94 Brand PLP, de Jongste JC. Succesvol behandelen van astma bij kinderen: 10 tips. Ned Tijdschr Geneeskd 2013;157:A5500.
- 95 Brand PLP. Inhalatiecorticosteroïden bij kinderen: effect op groei en eindlengte? MFM, Tijdschrift over Praktijkgerichte Farmacotherapie 2013;3(2):37-41.
- 96 Boendermaker PM, Venekamp R, Brand PLP. De korte praktijkbeoordeling. Van 'beoordeling' naar 'begeleiding'. Ned Tijdschr Geneeskd 2013;157:A5587.
- 97 Brand PLP, de Jongste JC. Succesvol behandelen van astma bij kinderen: 10 tips. Ned Tijdschr Geneeskd 2013;157:A5500.
- 98 de Bont EGPM, Brand PLP, Dinant GJ, van Well GTJ, Cals JWL. Wel of geen paracetamol bij kinderen met koorts? Ned Tijdschr Geneeskd 2014;158:A6636.
- 99 Van Veen WJ, Brand PLP. Pinda-allergie, niet altijd een terechte diagnose. Ned Tijdschr Geneeskd 2014;158:A6748.
- 100 Klok T, Brand PLP. Dagelijks gebruik van inhalatiecorticosteroiden bij astma: wel de richtlijn, (nog) niet de dagelijkse praktijk. MFM, Tijdschrift over Praktijkgerichte Farmacotherapie 2014;4:42-6.
- 101 Brand PLP, Boendermaker PM, Venekamp RM. Succesvol onderwijs en nascholing geven: 10 tips. Ned Tijdschr Geneeskd 2014;158:A8137.
- 102 Rijkers-Mutsaerts N, de Moor, R, Trijbels-Smulders M, Brand P. Laat kinderen rookvrij opgroeien. Medisch Contact 2014;69:2204-6.
- 103 Tilma IS, Bekhof J, Brand PLP. Licht schedelhersenletsel bij kinderen: kunnen we intracraniële complicaties voorspellen? Ned Tijdschr Geneeskd 2015;159:A8405.
- 104 Stolper CF, van de wiel MWJ, van Royen P, Brand PLP, Dinant GJ. Hoe pluis is het niet-pluisgevoel? Huisarts Wet 2015;58:192-5.
- 105

Internationaal

- 1 Brand PLP, Postma DS, Kerstjens HAM, Koëter GH, Dutch CNSLD Study Group. Relationship of airway hyperresponsiveness to respiratory symptoms and diurnal peak flow variation in obstructive lung disease. *Am Rev Respir Dis* 1991; 143:916-21.
- 2 Postma DS, Brand PLP, Kerstjens HAM, Sluiter HJ, Dutch CNSLD Study Group. Feasibility and baseline data of the Dutch multicentre trial in patients with chronic non-specific lung disease. *Eur Respir Rev* 1991; 1 (5):408-14.
- 3 Brand PLP, Kerstjens HAM, Postma DS, Sterk PJ, Quanjer PH, Sluiter HJ, et al. Long-term multicentre trial in chronic non-specific lung disease. Methodology and baseline assessment in adult patients. *Eur Respir J* 1992; 5:21-31.
- 4 Brand PLP, Kerstjens HAM, Postma DS, Dutch CNSLD Study Group. Long-term clinical trials in obstructive lung disease: principles and practice. *Pharmaceut Med* 1992; 5:263-89.
- 5 Brand PLP, Quanjer PH, Postma DS, Kerstjens HAM, Koëter GH, Dekhuijzen PNR, et al. Interpretation of bronchodilator response in patients with obstructive airways disease. *Thorax* 1992; 47:429-36.
- 6 Brand PLP, Rijcken B, Schouten JP, Koëter GH, Weiss ST, Postma DS. Perception of airway obstruction in a general population sample: relationship to airway hyperresponsiveness in the absence of respiratory symptoms. *Am Rev Respir Dis* 1992; 146:396-401.
- 7 Kerstjens HAM, Brand PLP, Hughes MD, Robinson NJ, Postma DS, Sluiter HJ, et al. A comparison of bronchodilator therapy with or without inhaled corticosteroid therapy for obstructive airways disease. *N Engl J Med* 1992; 327:1413-9.
- 8 Brand PLP, Lingen RA van, Brus F, Talsma MD, Elzenga NJ. Hypertrophic obstructive cardiomyopathy as a side effect of dexamethasone treatment for bronchopulmonary dysplasia. *Acta Paediatr* 1993; 82:614-7.
- 9 Waalkens HJ, Merkus PJFM, Essen-Zandvliet EEM van, Brand PLP, Gerritsen J, Duiverman EJ, et al. Assessment of bronchodilator response in children with asthma. *Eur Respir J* 1993; 6:645-51.
- 10 Gooijer A de, Brand PLP, Gerritsen J, Koëter GH, Postma DS, Knol K. Changes in respiratory symptoms and airway reactivity after 27 years in a population-based sample of school children. *Eur Respir J* 1993; 6:848-54.
- 11 Kerstjens HAM, Overbeek SE, Schouten JP, Brand PLP, Postma DS, Dutch CNSLD Study Group. Airways hyperresponsiveness, bronchodilator response, serum IgE, and smoking habit predict improvement in FEV1 during long-term inhaled corticosteroid treatment. *Eur Respir J* 1993; 6:868-76.
- 12 Kaptein AA, Brand PLP, Dekker FW, Kerstjens HAM, Postma DS, Sluiter HJ, et al. Quality-of-life in a long-term multicentre trial in chronic nonspecific lung disease: assessment at baseline. *Eur Respir J* 1993; 6:1479-84.
- 13 Brand PLP, Kerstjens HAM, Jansen HM, Kauffman HF, Monchy JGR de, Dutch CNSLD Study Group. Interpretation of skin tests to house dust mite and relationship to other allergy parameters in patients with asthma and COPD. *J Allergy Clin Immunol* 1993; 91:560-70.
- 14 Kerstjens HAM, Brand PLP, Quanjer PH, Bruggen-Bogaarts BAHA van der, Koëter GH, Postma DS, et al. Variability of bronchodilator response and effects of inhaled corticosteroid treatment in obstructive airways disease. *Thorax* 1993; 48:722-9.
- 15 Kerstjens HAM, Postma DS, Doormaal JJ van, Zanten AK van, Brand PLP, Dekhuijzen PNR, et al. Effects of short-term and long-term treatment with inhaled corticosteroids on bone metabolism. *Thorax* 1994; 49:652-7.
- 16 Kerstjens HAM, Brand PLP, Jong PM de, Koëter GH, Postma DS, Dutch CNSLD Study Group. Influence of treatment on peak expiratory flow and its relation to airway hyperresponsiveness and symptoms. *Thorax* 1994; 49:1109-15.
- 17 Brand PLP. Airway inflammation in symptomatic and asymptomatic children with methacholine hyperresponsiveness (letter). *Eur Respir J* 1994; 7:829.
- 18 Brand PLP. On measurement of chloride concentration in microvolume samples of sweat (letter). *Pediatr Pulmonol* 1995; 19:66.
- 19 Kerstjens HAM, Schouten JP, Brand PLP, Schoonbrood DFME, Sterk PJ, Postma DS, et al. Importance of total serum IgE for improvement in airways hyperresponsiveness with inhaled corticosteroids in asthma and chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1995; 151:360-8.
- 20 Brand PLP, Brus F. Immunosuppressive drugs and hypertrophic cardiomyopathy (letter). *Lancet* 1995; 345:1644.
- 21 Brand PLP, Verhagen E, Rosina-Angelista IMJ, Bambang Oetomo S. Indications for high-dose dexamethasone treatment for respiratory distress syndrome. *Eur J Pediatr* 1996; 155: 346.
- 22 Brand PLP. Serum eosinophil cationic protein measurements in monitoring pulmonary inflammation in

- asthma (letter). *Arch Dis Child* 1996;75:88.
- 23 Brand PLP, Gerritsen J, Aalderen WMC van. A baby with eczema and an abnormal sweat test. *Lancet* 1996; 348: 932.
 - 24 Kerstjens HAM, Brand PLP, Postma DS. Risk factors for accelerated decline among patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1996; 154: S266-72.
 - 25 Brand PLP, de Gooijer A, Postma DS. Changes in peak expiratory flow in healthy subjects and in patients with obstructive lung disease. *Eur Respir J* 1997; 10 (Suppl. 24): 69s-71s.
 - 26 Sprikkelman AB, Tupker RA, Burgerhof H, Schouten JP, Brand PLP, Heymans HSA, Aalderen WMC van. Severity scoring of atopic dermatitis: a comparison of three scoring systems. *Allergy* 1997; 52: 944-9.
 - 27 Woensel JBM van, Wolfs TW, Aalderen WMC van, Brand PLP, Kimpen JLL. Randomised double blind placebo controlled trial of prednisolone in children admitted to hospital with respiratory syncytial virus bronchiolitis. *Thorax* 1997; 52: 634-7.
 - 28 Brand PLP, Waalkens HJ, Duiverman EJ, Essen-Zandvliet EEM van, Dutch CNSLD Study Group. Inaccuracy of portable peak flow meters: correction is not needed. *Acta Paediatr* 1997; 86: 888-9.
 - 29 Brand PLP, Duiverman EJ, Postma DS, Waalkens HJ, Kerrebijn KF, van Essen-Zandvliet EEM, Dutch CNSLD Study Group. Peak flow variation in childhood asthma: relationship to symptoms, atopy, airways obstruction and hyperresponsiveness. *Eur Respir J* 1997; 10: 1242-7.
 - 30 Van Aalderen WMC, Brand PLP, Hoekstra MO, Landstra AM, Gerritsen J. Bronchial inflammation and hyperresponsiveness. *Pediatr Allergy Immunol* 1998; 9 (Suppl 11): 42-7.
 - 31 Brand PLP, Meuzelaar JJ. A boy with therapy-resistant asthma. *Eur J Pediatr* 1998; 157: 346-8.
 - 32 Visser MJ, van Aalderen WMC, Elliott BM, Odink RJH, Brand PLP. Short term growth in asthmatic children using fluticasone propionate. *Chest* 1998; 113: 584-6.
 - 33 Duijvestijn YCM, Brand PLP. Systematic review of N-acetylcysteine in cystic fibrosis. *Acta Paediatr* 1999; 88: 38-41.
 - 34 Brand PLP, Duiverman EJ, Waalkens HJ, van Essen-Zandvliet EEM, Kerrebijn KF, Dutch CNSLD Study Group. Peak flow variation in childhood asthma: correlation with symptoms, airways obstruction and hyperresponsiveness during long-term treatment with inhaled corticosteroids. *Thorax* 1999; 54: 103-7.
 - 35 Brand PLP, van der Ent CK. The practical application and interpretation of simple lung function tests in cystic fibrosis. *J Roy Soc Med* 1999; 92 (suppl. 37): 2-12.
 - 36 van der Ent CK, Brand PLP. Advantages of comprehensive lung function techniques in cystic fibrosis. *J Roy Soc Med* 1999; 92 (suppl. 37): 13-18.
 - 37 Brand PLP, Roorda RJ. Effect on growth of inhaled steroid therapy (letter). *J Pediatr* 1999; 134: 253.
 - 38 Kamps AWA, van Ewijk B, Roorda RJ, Brand PLP. Poor inhalation technique, even after inhalation instruction, in asthmatic children. *Pediatr Pulmonol* 2000;29:39-42.
 - 39 Brand PLP. Bronchodilators in cystic fibrosis. *J Roy Soc Med* 2000; 93 (Suppl. 38): 37-39
 - 40 Brand PLP, Vaessen-Verberne AAPH. Differences in management of bronchiolitis between hospitals in the Netherlands. *Eur J Pediatr* 2000;159:343-7.
 - 41 Visser MJ, de Wit M-CY, van Aalderen WMC, Postma DS, Brand PLP. Exhaled nitric oxide in children measured by tidal breathing method: differences between asthmatics and nonasthmatic controls. *Pediatr Pulmonol* 2000;29:434-7.
 - 42 Kamps AWA, Roorda RJ, Brand PLP. Peak flow diaries in childhood asthma are unreliable. *Thorax* 2001;56:180-2.
 - 43 Brand PLP, van der Baan-Slootweg OH, Heynens JWCM, de Vries TW, Versteegh FGA, Vreuls RCFM, den Ouden WJ, Smit FJ. Comparison of handling and acceptability of two spacer devices in young children with asthma. *Acta Paediatr* 2001;90:133-6.
 - 44 Lucas-Bouwman ME, Roorda RJ, Jansman FG, Brand PLP. Crushed prednisolone tablets or oral solution for acute asthma. *Arch Dis Child* 2001;84:347-8.
 - 45 Kamps AWA, Brand PLP. Education, self-management and home peak flow monitoring in childhood asthma. *Paediatr Respir Rev* 2001; 2: 165-9.
 - 46 Brand PLP. Inhaled corticosteroids reduce growth. Or do they? (review). *Eur Respir J* 2001;17:287-94.
 - 47 Kamps AWA, Visser MJ, de Vries TW, van Aalderen WMC, Postma DS, Brand PLP. The feasibility of airways hyperresponsiveness as an inclusion criterion for studies on childhood asthma. *Eur Respir J* 2001;17:887-91.
 - 48 Van Woensel JB, Kimpen JLL, Brand PLP. Respiratory tract infections caused by respiratory syncytial virus in children. Diagnosis and treatment. *Minerva Pediatr* 2001; 53: 99-106.
 - 49 Kamps AWA, Vermeer K, Roorda RJ, Brand PLP. Effect of bacterial filters on spirometry measurements. *Arch Dis Child* 2001;85:346-7.

- 50 Visser MJ, Postma DS, Arends LR, de Vries TW, Duiverman EJ, Brand PLP. One-Year Treatment with Different Dosing Schedules of Fluticasone Propionate in Childhood Asthma . Effects on Hyperresponsiveness, Lung Function, and Height. *Am J Respir Crit Care Med* 2001;164:2073-7.
- 51 Kamps AWA, Roorda RJ, Brand PLP. Determinants of correct inhalation technique in children attending a hospital-based asthma clinic. *Acta Paediatr* 2002;91:159-63.
- 52 Boezen HM, Vonk JM, van Aalderen WMC, Brand PLP, Gerritsen J, Schouten JP, Boersma ER. Perinatal predictors of respiratory symptoms and lung function at a young adult age. *Eur Respir J* 2002;20:383-90.
- 53 Kamps AWA, Brand PLP, Vermeer K, Roorda RJ. Bronchodilator response in asthmatic children is significantly reduced when measured immediately after methacholine challenge. *J Asthma* 2002;39:737-41.
- 54 Visser MJ, Brand PLP, Boezen HM, et al. Clinical and immunological factors associated with the presence or absence of airways hyper-responsiveness in childhood asthma. *Clin Exp All* 2002;32:1278-84.
- 55 Visser MJ, Postma DS, Brand PLP, Arends LR, Duiverman EJ, Kauffman HF. Influence of different dosage schedules of inhaled fluticasone propionate on peripheral blood cytokine concentrations in childhood asthma. *Clin Exp All* 2002;32:1497-1503.
- 56 Kamps AWA, Brand PLP, Vermeer K, Roorda RJ. Bronchodilator response in asthmatic children is significantly reduced when measured immediately after methacholine challenge. *J Asthma* 2002;39:737-41.
- 57 Brand PLP, Roorda RJ. Drug delivery in pediatric patients with asthma. Spacer devices vs nebulizers for β_2 agonists. *Am J Drug Deliv* 2003;1:61-70.
- 58 Brand PLP. Central airways stenosis in school-aged children: differential diagnosis from asthma (letter). *Acta Paediatr* 2003;92:266.
- 59 Brand PLP, Rosingh HJ. The "wandering needle". *Pediatr Pulmonol* 2003;35:152-4.
- 60 Kamps AWA, Brand PLP, Kimpen JLL, Maillé AR, Overgoor-van de Groes AW, van Helsdingen-Peek LCJAM, Roorda RJ. Outpatient management of childhood asthma by paediatrician or asthma nurse: randomised controlled study with one year follow-up. *Thorax* 2003;58:968-73.
- 61 Brand PLP, Roorda RJ. Usefulness of monitoring lung function in asthma. *Arch Dis Child* 2003;88: 1021-5.
- 62 Kamps AWA, Brand PLP, Roorda RJ. Variation of peak inspiratory flow through dry powder inhalers in children with stable and unstable asthma. *Pediatr Pulmonol* 2004;37:65-70.
- 63 Gordijn SJ, Brand PLP. A boy with breathlessness, digital clubbing, and central cyanosis. *Eur J Pediatr* 2004; 163:129-30.
- 64 Kamps AWA, Roorda RJ, Kimpen JLL, Overgoor-van de Groes AW, van Helsdingen-Peek LCJAM, Brand PLP. Impact of nurse-led outpatient management of children with asthma on healthcare resource utilisation and costs. *Eur Respir J* 2004;23:304-9.
- 65 Brand PLP. What is the normal range of blood glucose concentration in healthy term newborns? (letter) *Arch Dis Child Fetal Neonatal Ed.* 2004;89:F375.
- 66 Visser MJ, van der Veer E, Postma DS, Arends LR, de Vries TW, Brand PLP, Duiverman EJ. Side-effects of fluticasone in asthmatic children: no effects after dose reduction. *Eur Respir J* 2004;24:420-5.
- 67 Brand PLP, Molenaar NLD, Kaaijk C, Wierenga WS. Neurodevelopmental outcome of hypoglycaemia in healthy, large for gestational age, term newborns. *Arch Dis Child* 2005;90: 78-81.
- 68 Brand PLP. Quels sont les principaux problèmes du traitement inhalé chez les enfants? *Rev Pneumol Clin* 2005; 61: S325-8.
- 69 Brand PLP. How to read an article about therapy in 5 minutes. *Paediatrica* 2005;16(4):1-3.
- 70 Brand PLP. Key issues in inhalation therapy in children. *Curr Med Res Opin* 2005;21(Suppl.4): S27-S32.
- 71 Brand PLP, Engelbert RHH, Helder PJM, Offringa M. Systematic review of effects of manual therapy in infants with Kinetic Imbalance due to Suboccipital Strain (KISS) syndrome. *J Man Manipul Ther* 2005; 13: 210-5.
- 72 Brand PLP. Commentary on 'Intravenous aminophylline for acute severe asthma in children over two years receiving inhaled bronchodilators'. *Evid.-Based Child Health* 2006;1:149-50.
- 73 Savenije OEM, Brand PLP. Accuracy and precision of test weighing to assess milk intake in newborn infants. *Arch Dis Child Fetal Neonat Ed* 2006;91:F330-2.
- 74 Baatenburg de Jong A, Brouwer AFJ, Roorda RJ, Brand PLP. Normal lung function in children with mild to moderate persistent asthma well controlled by inhaled corticosteroids. *J Allergy Clin Immunol* 2006; 118:280-2.
- 75 Brouwer AFJ, Roorda RJ, Brand PLP. Home spirometry and asthma severity in children. *Eur Respir J* 2006;28:1131-7.
- 76 Wildhaber JH, Sennhauser FH, Brand PLP. Asthma in school-aged children and adolescents. *Eur Respir Mon* 2006;37:191-216.

- 77 Zwart P, Vellema-Goud MGA, Brand PLP. Characteristics of infants admitted to hospital for persistent colic, and comparison with healthy infants. *Acta Paediatrica* 2007;96:401–5.
- 78 Boogaard R, Hulsmann AR, van Veen L, Vaessen-Verberne AAPH, Yap YN, Sprij AJ, Brinkhorst G, Sibbles B, Hendriks T, Feith SWW, Lincke CR, Brandsma AE, Brand PLP, Hop WCJ, de Hoog M, Merkus PJFM. Recombinant human deoxyribonuclease in infants with respiratory syncytial virus bronchiolitis. *Chest* 2007;131:788-95.
- 79 Brand PLP. Allergy diagnosis: pros and cons of different tests, indications and limitations. *Breathe* 2007; 3: 345-9.
- 80 van der Hulst AE, Klip H, Brand PLP. Risk of developing asthma in young children with atopic eczema: A systematic review. *J Allergy Clin Immunol* 2007;120:565-9.
- 81 Brouwer AFJ, Roorda RJ, Brand PLP. Comparison between peak expiratory flow and FEV₁ measurements on a home spirometer and on a pneumotachograph in children with asthma. *Pediatr Pulmonol.* 2007;42:813-8.
- 82 Brand PLP, Vlieg-Boerstra BJ, Dubois AEJ. Dietary prevention of allergic disease in children: Are current recommendations really based on good evidence? *Pediatr Allergy Immunol* 2007;18:475-9.
- 83 de Groot H, Brand PLP, Fokkens WF, Berger MY. Allergic rhinoconjunctivitis in children. *BMJ* 2007;335:985-8.
- 84 Boluyt N, van der Lee JH, Moyer VA, Brand PLP, Offringa M. State of the evidence of acute asthma management in children: a critical appraisal of systematic reviews. *Pediatrics* 2007;120:1334-43.
- 85 Schokker S, Kooi EM, de Vries TW, Brand PLP, Mulder PG, Duiverman EJ, van der Molen T. Inhaled corticosteroids for recurrent respiratory symptoms in preschool children in general practice: randomized controlled trial. *Pulm Pharmacol Ther* 2008;21:88-97.
- 86 Brouwer AFJ, Brand PLP. Asthma education and monitoring: what has been shown to work. *Paediatr Respir Rev* 2008;9:193-200.
- 87 Brand PLP, Baraldi E, Bisgaard H, Boner AL, Castro-Rodriguez JA, Custovic A, de Blic J, de Jongste JC, Eber E, Everard ML, Frey U, Gappa M, Garcia-Marcos L, Grigg J, Lenney W, Le Souëf P, McKenzie S, Merkus PJFM, Midulla F, Paton JY, Piacentini G, Pohunek P, Rossi GA, Seddon P, Silverman M, Sly PD, Stick S, Valiulis A, van Aalderen WMC, Wildhaber JH, Wennergren G, Wilson N, Zivkovic Z, Bush A. Definition, assessment and treatment of wheezing disorders in children: an evidence-based approach. *Eur Respir J* 2008;32: 1096-1110.
- 88 Brouwer AFJ, Roorda RJ, Duiverman RJ, Brand PLP. Reference values for peak flow and FEV₁ variation in healthy schoolchildren using home spirometry. *Eur Respir J* 2008;32:1262-8.
- 89 Brand P. New guidelines on recurrent wheeze in preschool children: implications for primary care. *Prim Care Resp J* 2008;17:243-5
- 90 Meerlo AE, Kosters EA, Klip H, Brand PLP. Early discharge with tube feeding at home for preterm infants is associated with longer duration of breastfeeding. *Arch Dis Child Fetal Neonatal Ed* 2009;94:F294-7.
- 91 Baatenburg de Jong A, Dikkeschei LD, Brand PLP. High prevalence of sensitization to aeroallergens in children 4 yrs of age or younger with symptoms of allergic disease. *Pediatr Allergy Immunol* 2009;20:735-40.
- 92 Schultz A, Devadason S, Savenije O, Sly P, Le Souëf P, Brand PL. The transient value of classifying preschool wheeze into episodic viral wheeze and multiple trigger wheeze. *Acta Paediatr* 2010;99:56-60.
- 93 Visser CAN, Garcia-Marcos L, Eggink J, Brand PLP. Prevalence and risk factors of wheeze in Dutch infants in their first year of life. *Pediatr Pulmonol* 2010;45:149-56.
- 94 Garcia-Marcos L, Brand PL. The utility of sputum eosinophils and exhaled nitric oxide for monitoring asthma control with special attention to childhood asthma. *Allergol Immunopathol(Madr)*.2010;38:41–46.
- 95 Jippes E, van Engelen JM, Brand PLP, Oudkerk M. Competency-based (CanMEDS) residency training programme in radiology: systematic design procedure, curriculum and success factors. *Eur Radiol* 2010;20:967-77.
- 96 Smyth AR, Barbato A, Beydon N, Bisgaard H, de Boeck K, Brand P, et al. Respiratory medicines for children: current evidence, unlicensed use and research priorities. *Eur Respir J* 2010;35:247-65.
- 97 Jippes E, Achterkamp MC, Brand PLP, Kiewiet DJ, Pols J, van Engelen JML. Disseminating educational interventions in health care practice: training versus social networks. *Soc Sci Med* 2010; 70: 1509-17.
- 98 Brand PL, Ratjen F, Aurora P, Dankert-Roelse JE, Ross-Russell RI, Kuehni CE, Midulla F, Hedlin G. Scientific assembly update. *Paediatrics in Vienna.* *Eur Respir J* 2010; 35:1172-8
- 99 Kaptein AA, Klok T, Moss-Morris R, Brand PLP. Illness perceptions: impact on self-management and control in asthma. *Curr Opin Allergy Immunol* 2010;10:194-9.

- 100 Brouwer AFJ, Visser CAN, Duiverman EJ, Roorda RJ, Brand PLP. Is home spirometry useful in diagnosing asthma in children with nonspecific respiratory symptoms? *Pediatr Pulmonol* 2010;45:326-32.
- 101 Brouwer AFJ, Brand PLP, Roorda RJ, Duiverman EJ. Airway obstruction at time of symptoms prompting use of reliever therapy in children with asthma. *Acta Paediatr* 2010;99:871-6.
- 102 Turner S, Thomas M, Lazarus SC, Zutler M, Connors L, Keith PK, Brand PLP. Commentaries on 'Addition of long-acting beta-agonists to inhaled corticosteroids for chronic asthma in children. *Evid,-Based Child Health* 2010;5:959-66.
- 103 Kneepkens CMF, Brand PLP. Clinical practice. Breastfeeding and the prevention of allergy. *Eur J Pediatr* 2010;169:911-7.
- 104 de Groot EP, Duiverman EJ, Brand PLP. Comorbidities of asthma during childhood: possibly important, yet poorly studied. *Eur Respir J* 2010;36:671-8.
- 105 van de Wiel H, Brand PLP, Schultz W, Wijma K. The virtual ISPOG Academy: how E-learning can enrich (our) society. *J Psychosom Obstet Gynecol* 2010;31:111-2.
- 106 Jacobs KD, Brand PLP. Can sensitisation to aeroallergens disappear over time in children with allergic disease? *Acta Paediatr* 2010;99:1361-4.
- 107 Garcia-Marcos L, Mallol J, Solé D, Brand PLP, EISL group. International study of wheezing in infants: risk factors in affluent and non-affluent countries during the first year of life. *Pediatr Allergy Immunol* 2010;21:878-88.
- 108 Mallol J, Garcia-Marcos L, Solé D, Brand P, EISL Study Group. International prevalence of recurrent wheezing during the first year of life: variability, treatment patterns and use of health resources. *Thorax* 2010;65:1004-9.
- 109 Klok T, Brand PLP, Bomhof-Roordink H, Duiverman EJ, Kaptein AA. Parental illness perceptions and medication perceptions in childhood asthma, a focus Group study. *Acta Paediatr* 2011; 100: 248-52.
- 110 Brand PLP. The Asthma Predictive Index: Not a useful tool in clinical practice (letter). *J Allergy Clin Immunol* 2011; 127: 293-4.
- 111 Baatenburg de Jong A, Dikkeschei LD, Brand PLP. Sensitization patterns to food and inhalant allergens in childhood: A comparison of non-sensitized, monosensitized, and polysensitized children. *Pediatr Allergy Immunol* 2011;22:166-71.
- 112 Brand PLP. Treatment of mild persistent asthma in children (letter). *Lancet* 2011;377:1743.
- 113 Greenhalgh T, de Jongste JC, Brand PLP. Preparing and delivering a 10-minute presentation at a scientific meeting. *Paediatr Respir Rev* 2011;12:148-9.
- 114 Schultz A, Brand PLP. Episodic viral wheeze and multiple trigger wheeze in preschool children: useful distinction for clinicians? *Paediatr Respir Rev* 2011;12:160-4.
- 115 Brand PLP, Garcia-Garcia ML, Morison A, Vermeulen JH, Weber HC. Ciclesonide in wheezy preschool children with a positive asthma predictive index or atopy. *Respir Med* 2011;105:1588-95.
- 116 Weijerman ME, Brand PLP, van Furth MA, Broers CJM, Gemke RJJ. Recurrent wheeze in children with Down syndrome: is it asthma? *Acta Paediatr* 2011;100:e194-e197.
- 117 Brand PLP. Inhaled corticosteroids should be the first line of treatment for children with asthma. *Paediatr Respir Rev* 2011;12:245-9.
- 118 Sly PD, Brand PLP. Medical research results in the general media: worthwhile and rewarding if presented well, potentially harmful if prepared poorly. *Paediatr Respir Rev* 2011;12:277-80.
- 119 Kersten EM, van Leeuwen JC, Brand PLP, Duiverman EJ, de Jongh FHC, Thio BJ, Driessen JM. Effect of an intranasal corticosteroid on exercise induced bronchoconstriction in asthmatic children. *Pediatr Pulmonol* 2012;47:27-35
- 120 Carroll WD, Wildhaber J, Brand PLP. Parent misperception of control in childhood/adolescent asthma: the Room to Breathe survey. *Eur Respir J* 2012;39:90-6.
- 121 Schultz A, Brand PLP. Phenotype-directed treatment of pre-school-aged children with recurrent wheeze. *J Paediatr Child Health* 2012;48:E73-8.
- 122 Wildhaber JH, Carroll WD, Brand PLP. Global impact of asthma on children and adolescents' daily lives: the room to breathe survey. *Pediatr Pulmonol* 2012;47:346-57.
- 123 Van Asperen Y, Brand PL, Bekhof J. Reliability of the fluid balance in neonates. *Acta Paediatr* 2012;101:479-83.
- 124 Brand PLP. Partially hydrolysed whey and soy-based infant formulas did not prevent allergic disease in high-risk children. *Arch Dis Child Educ Pract Ed* 2012;97:120.
- 125 Kappelle L, Brand PLP. Severe episodic viral wheeze in preschool children: high risk of asthma at age 5-10 years. *Eur J Pediatr* 2012;171:947-54.

- 126 Brand PLP, Hoving MFP, de Groot EP. Evaluating the child with recurrent lower respiratory tract infections. *Paediatr Respir Rev* 2012;13:135-8.
- 127 de Groot EP, Nijkamp A, Duiverman EJ, Brand PLP. Allergic rhinitis is associated with poor asthma control in children with asthma. *Thorax* 2012;67:582-7.
- 128 Jippes E, van Luijk SJ, Pols J, Achterkamp M, Brand PLP, van Engelen JML. Facilitators and barriers to a nationwide implementation of competency-based postgraduate medical curricula: a qualitative study. *Med Teach* 2012;34:e589-e602.
- 129 Klok T, de Groot EP, Brouwer AFJ, Brand PLP. Follow-up of children with asthma. *Eur Respir Mon* 2012;56 (Paediatric Asthma): 210-23.
- 130 Boluyt N, Rottier BL, de Jongste JC, Riemsma R, Vrijlandt EJLE, Brand PLP. Assessment of controversial pediatric management options using GRADE. *Pediatrics* 2012;130:e658-e668.
- 131 Quak W, Klok T, Kaptein AA, Duiverman EJ, Brand PLP. Preschool children with high adherence to inhaled corticosteroids do not show behavioural problems. *Acta Paediatr* 2012;101:1156-60.
- 132 Klok T, Kaptein AA, Duiverman EJ, Brand PLP. High inhaled corticosteroids adherence in childhood asthma: the role of medication beliefs. *Eur Respir J* 2012; 40:1149-55.
- 133 Fouzas S, Brand PLP. Predicting persistence of asthma in preschool wheezers: crystal balls or muddy waters? *Paediatr Respir Rev* 2013;14:46-52.
- 134 Jippes E, Steinert Y, Pols J, Achterkamp MC, van Engelen JM, Brand PLP. How do social networks and faculty development courses affect clinical supervisors' adoption of a medical education innovation? An exploratory study. *Acad Med* 2013;88:398-404.
- 135 Hoving MFP, Brand PLP. Causes of recurrent pneumonia in children in a general hospital. *J Paediatr Child Health* 2013;49:E208-E212.
- 136 Klok T, Kaptein AA, Duiverman E, Oldenhof FS, Brand PLP. General practitioners' prescribing behaviour as a determinant of poor persistence with inhaled corticosteroids in children with respiratory symptoms: mixed methods study. *BMJ Open* 2013;3:e002310.
- 137 Garcia-Marcos L, Mallol J, Solé D, Brand PL, Sanchez-Bahillo M, Sanchez-Solis M, EISL Study Group. Latitude modifies the effect size of factors related to recurrent wheeze in the first year of life. *Respir Med* 2013;107:665-72.
- 138 Dijkstra IS, Pols J, Remmelts P, Bakker B, Mooij JJ, Borleffs JCC, Brand PLP. What are we preparing them for? Development of an inventory of tasks for medical, surgical and supportive specialties. *Med Teach* 2013;35:e1068-e1077.
- 139 De Groot EP, Duiverman EJ, Brand PLP. Dysfunctional breathing in children with asthma: a rare but relevant comorbidity. *Eur Respir J* 2013;41:1068-73.
- 140 Brand PLP. The clinician's guide on monitoring children with asthma. *Paediatric Respir Rev* 2013;14:119-25.
- 141 Jippes E, Achterkamp MC, Pols J, Brand PLP, van Engelen JML. Diffusing (let it happen) or disseminating (make it happen) innovations in health care. *J Eng Technol Manage* 2013;30:246-63.
- 142 Bekhof J, van Asperen Y, Brand PLP. Usefulness of the fluid balance: a randomised controlled trial in neonates. *J Paediatr Child Health* 2013;49:486-92.
- 143 Klok T, Kaptein AA, Brand PLP. Improving adherence in paediatric respiratory disease. *Breathe* 2013;9:268-77.
- 144 Brand PLP. Respiratory syncytial virus and recurrent wheeze (letter). *New Engl J Med* 2013;369:782.
- 145 Karg A, Boendermaker PM, Brand PLP, Cohen-Schotanus J. Integrating continuing medical education and faculty development into a single course: Effects on participants' behavior. *Med Teach* 2013;35:e1594-7.
- 146 Van Veen WJ, Dikkeschei LD, Roberts GC, Brand PLP. Predictive value of specific IgE for clinical peanut allergy in children: relationship with eczema, asthma, and setting (primary or secondary care). *Clin Transl Allergy* 2013;3:34.
- 147 Bekhof J, Bakker J, Reimink R, Wessels M, Langenhorst V, Brand PL, Ruijs GJ. Co-infections in children hospitalised for bronchiolitis: role of roomsharing. *J Clin Med Res* 2013;5:426-31.
- 148 Van de wiel HBM, Brand PLP. Communication & Collaboration, on being a paediatrician. *Paediatr Respir Rev* 2013;14:207-8.
- 149 Brand PLP, Klok T, Kaptein AA. Using communication skills to improve adherence in children with chronic disease: The adherence equation. *Paediatr Respir Rev* 2013;14:219-23.
- 150 Brand PLP, Stiggelbout AM. Effective follow-up consultations: the importance of patient-centered communication and shared decision making. *Paediatr Respir Rev* 2013;14:224-8.
- 151 Klok T, Lubbers S, Kaptein AA, Brand PLP. Every parent tells a story: why non-adherence may persist in children receiving guideline-based comprehensive asthma care. *J Asthma* 2014;51:106-12.

- 152 Bekhof J, Reimink R, Brand PLP. Systematic review: insufficient validation of clinical scores for the assessment of acute dyspnoea in children. *Paediatr Respir Rev* 2014;15:98-112.
- 153 Klok T, Kaptein AA, Duiverman EJ, Brand PLP. It's the adherence, stupid (that determines asthma control in preschool children)! *Eur Respir J* 2014;43:783-91.
- 154 Brand PLP. Predicting the outcome of early childhood wheeze: mission impossible. *Prim Care Respir J* 2014;23:10-11.
- 155 Brand PLP, Caudri D, Eber E, et al. Classification and pharmacological treatment of preschool wheezing: changes since 2008. *Eur Respir J* 2014;43:1172-7.
- 156 Oole-Groen CJ, Brand PLP. Double-blind food challenges in children in general paediatric practice: useful and safe, but not without pitfalls. *Allergol Immunopathol* 2014;42: 269-74.
- 157 Van Vendeloo SN, Brand PLP, Verheyen CCPM. Burnout and quality of life among orthopaedic trainees in a modern educational programme: importance of the learning climate. *Bone Joint J* 2014;96-B:1133-8.
- 158 De Steenhuisen Piters WAA, Frenkel J, Brand PLP, Raphael MF. What is the diagnosis? *Med Educ* 2014;48:1114-5.
- 159 Mallol J, Garcia-Marcos L, Brand P. Wheezing in infants. In: Asher I, ed. *The Global Asthma Report 2014*. Auckland, New Zealand: Global Asthma Network, 2014: 33-35.
- 160 Brand PLP, Landzaat-Berghuizen M.A. Differences between observers in interpreting double-blind placebo-controlled food challenges: A randomized trial. *Pediatr Allergy Immunol* 2014;25:755-9.
- 161 Dijkstra IS, Pols J, Remmelts P, Brand PLP. Preparedness for practice: A systematic cross-specialty evaluation of the alignment between postgraduate medical education and independent practice. *Med Teach* 2015;37:153-61.
- 162 Pijnenburg MW, Baraldi E, Brand PLP, et al. Monitoring asthma in children. *Eur Respir J* 2015;45:906-25.
- 163 Klok T, Kaptein AA, Brand PLP. Non-adherence in children with asthma reviewed: the need for improvement of asthma care and medical education. *Pediatr Allergy Immunol* 2015;26:197-205.
- 164 Spaans EAJM, Gusdorf LMA, Groenier KH, Brand PLP, Veeze HJ, Reeser HM, Bilo HJG, Kleefstra N. The incidence of type 1 diabetes is still increasing in the Netherlands, but has stabilized in children under five (Young Dudes-1). *Acta Paediatr* 2015; 104: 626-9.
- 165 Brand PLP, Mäkelä MJ, Szeffler SJ, Frischer T, Price D, ERS Task Force Monitoring Asthma in Children. Monitoring asthma in childhood: symptoms, exacerbations and quality of life. *Eur Respir Rev* 2015;24:187-93.
- 166 Bekhof J, Reimink R, Bartels I-M, Eggink H, Brand PLP. Large observer variation of clinical assessment of dyspnoeic wheezing children. *Arch Dis Child* 2015;100:649-53.
- 167 De Groot EP, Kreggemeijer WJ, Brand PLP. Getting the basics right resolves most cases of uncontrolled and problematic asthma. *Acta Paediatr* 2015;104:916-21.
- 168 Klok T, Kaptein AA, Duiverman EJ, Brand PLP. Long-term adherence to inhaled corticosteroids in children with asthma: observational study. *Respir Med* 2015;109:1114-9.
- 169 Schönrock-Adema J, Visscher M, Raat ANJ, Brand PLP. Development and Validation of the Scan of Postgraduate Educational Environment Domains (SPEED): A Brief Instrument to Assess the Educational Environment in Postgraduate Medical Education. *PLoS One* 2015;10:e0137872.
- 170 Keemink Y, Klok T, Brand PLP. Long term adherence to daily controller medication in children with asthma: the role of outpatient clinic visits. *Pediatr Pulmonol* 2015;50:1060-4.
- 171 Gaga M, Brand PLP, Thompson NC. The quest for the grail: multidimensional efforts for understanding and targeting severe asthma. *Eur Respir J* 2015;46:1227-31.
- 172 Garcia-Marcos L, Mallol J, Solé D, Brand PLP, Martinez-Torres A, Sanchez-Solis M, EISL Study Group. Pneumonia and wheezing in the first year: an international perspective. *Pediatr Pulmonol* 2015;50:1277-85.
- 173

Proefschrift

Brand PLP, Kerstjens HAM. Risk factors and long-term treatment in obstructive airways disease. Rijksuniversiteit Groningen 1993.

Boeken/hoofdstukken in boeken

- 1 Brand PLP. Practical interpretation of lung function tests in asthma. In: David TJ, ed. *Recent Advances in*

- Paediatrics 18. Edinburgh, Churchill Livingstone 2000: 77-109.
- 2 Brand PLP, Hoekstra MO, Merkus PJFM, Schilte PPM, red. Werkboek kinderlongziekten. Amsterdam: VU Uitgeverij, 2001.
 - 3 Ent CK van der, Brand PLP. Hoesten. In: Brand PLP, Hoekstra MO, Merkus PJFM, Schilte PPM, red. Werkboek kinderlongziekten. Amsterdam: VU uitgeverij, 2001; 21-4.
 - 4 Brand PLP, Ent CK van der. Rochelen, zagen en volzitten. In: Brand PLP, Hoekstra MO, Merkus PJFM, Schilte PPM, red. Werkboek kinderlongziekten. Amsterdam: VU uitgeverij, 2001; 25-8.
 - 5 Merkus PJFM, Brand PLP. Respiratoire insufficiëntie. In: Brand PLP, Hoekstra MO, Merkus PJFM, Schilte PPM, red. Werkboek kinderlongziekten. Amsterdam: VU uitgeverij, 2001; 52-6.
 - 6 Rijntjes JGM, Oosterkamp RF, Brand PLP. Allergologische diagnostiek. In: Brand PLP, Hoekstra MO, Merkus PJFM, Schilte PPM, red. Werkboek kinderlongziekten. Amsterdam: VU uitgeverij, 2001; 85-9.
 - 7 Gerrits GPJM, Woensel J van, Brand PLP. Bronchiolitis. In: Brand PLP, Hoekstra MO, Merkus PJFM, Schilte PPM, red. Werkboek kinderlongziekten. Amsterdam: VU uitgeverij, 2001; 135-9.
 - 8 Ent CK van der, Brand PLP, Hoekstra MO. Anti-inflammatoire therapie. In: Hendriks JJE, Hoekstra MO, Roorda RJ, Vaessen-Verberne AAPH, red. Trends in astmabehandeling bij kinderen. 10 jaar Trends. Zeist: Glaxo Wellcome BV, 2001: 26-34.
 - 9 Brand PLP. De ademhalingsorganen. In: Lingen R van, Zoeren-Grobbe D van, red. Kindergeneeskunde. Utrecht/Zutphen, Thieme Meulenhoff; 2002: 68-75.
 - 10 Brand PLP. Een kind met een hoorbare ademhaling. In: Roord JJ, Diemen-Steenvoorde JAAM van, red. Probleemgeoriënteerd denken in de kindergeneeskunde. Utrecht, de Tijdstroom; 2002: 205-9.
 - 11 Plötz FB, Brand PLP. Een kind met chronisch hoesten. In: Roord JJ, Diemen-Steenvoorde JAAM van, red. Probleemgeoriënteerd denken in de kindergeneeskunde. Utrecht, de Tijdstroom; 2002: 211-6.
 - 12 Brand PLP, Rottier BL. Kinderlongziekten (Praktische Kindergeneeskunde). Houten, Bohn Stafleu van Loghum; 2002 (eerste druk, gewijzigde oplage verschenen in 2005).
 - 13 Brand PLP. Hypoglykemie bij verder gezonde, zware pasgeborenen: gevolgen voor de psychomotore ontwikkeling op de middellange termijn. In: Kam WJ van der, Brand PLP, red. Zorgvernieuwing in uitvoering (Isala series, no. 37). Zwolle, Isala klinieken 2003: 27-36.
 - 14 Kam WJ van der, Brand PLP, red. Zorgvernieuwing in uitvoering (Isala series, no. 37). Zwolle, Isala klinieken 2003.
 - 15 Dinwiddie R, Brand PLP, Pohunek P, eds. Paediatric asthma and allergy. Salisbury: Quai Books 2004.
 - 16 Brand PLP. Practical management of atopic eczema including the role of food. In: Dinwiddie R, Brand PLP, Pohunek P, eds. Paediatric asthma and allergy. Salisbury: Quai Books 2004: 129-38.
 - 17 Brand P. De Stoel van God (roman). Maarn, Sapienta 2006 (ISBN 9789085620396).
 - 18 Brand PLP, Kneepkens CMF, Laag J van der, Rijkers-Mutsaerts ERVM, red. Werkboek kinderallergologie. Amsterdam, VU University Press 2006.
 - 19 Hoekstra MO, Brand PLP. De allergische mars. In: Brand PLP, Kneepkens CMF, Laag J van der, Rijkers-Mutsaerts ERVM, red. Werkboek kinderallergologie. Amsterdam, VU University Press 2006: 29-32.
 - 20 Brand PLP, Rijkers-Mutsaerts ERVM. Anamnese en lichamelijk onderzoek. In: Brand PLP, Kneepkens CMF, Laag J van der, Rijkers-Mutsaerts ERVM, red. Werkboek kinderallergologie. Amsterdam, VU University Press 2006:35-40.
 - 21 Jonker GJ, Brand PLP. Huidtests. In: Brand PLP, Kneepkens CMF, Laag J van der, Rijkers-Mutsaerts ERVM, red. Werkboek kinderallergologie. Amsterdam, VU University Press 2006:50-4.
 - 22 Pasmans SGMA, Brand PLP. Constitutioneel eczeem. In: Brand PLP, Kneepkens CMF, Laag J van der, Rijkers-Mutsaerts ERVM, red. Werkboek kinderallergologie. Amsterdam, VU University Press 2006:65-77.
 - 23 Brand PLP, Rijkers-Mutsaerts ERVM, Duiverman EJ. Astma. In: Brand PLP, Kneepkens CMF, Laag J van der, Rijkers-Mutsaerts ERVM, red. Werkboek kinderallergologie. Amsterdam, VU University Press 2006:87-95.
 - 24 Rijntjes JGM, Baan S van der, Brand PLP. Allergische rinitis. In: Brand PLP, Kneepkens CMF, Laag J van der, Rijkers-Mutsaerts ERVM, red. Werkboek kinderallergologie. Amsterdam, VU University Press 2006:101-9.
 - 25 Sprikkelman AB, Oude Elberink JNG, Brand PLP. Urticaria en angio-oedeem. In: Brand PLP, Kneepkens CMF, Laag J van der, Rijkers-Mutsaerts ERVM, red. Werkboek kinderallergologie. Amsterdam, VU University Press 2006:113-9.
 - 26 Mulder WMC, Winterberg DH, Brand PLP. Geneesmiddelenallergie. In: Brand PLP, Kneepkens CMF, Laag J van der, Rijkers-Mutsaerts ERVM, red. Werkboek kinderallergologie. Amsterdam, VU University Press 2006:138-44.
 - 27 Brand PLP, Dubois AEJ. Behandeling: algemene principes. In: Brand PLP, Kneepkens CMF, Laag J van der, Rijkers-Mutsaerts ERVM, red. Werkboek kinderallergologie. Amsterdam, VU University Press 2006:159-63.

- 28 Kneepkens CMF, Brand PLP. Allergiepreventie. In: Brand PLP, Kneepkens CMF, Laag J van der, Rikkers-Mutsaerts ERVM, red. Werkboek kinderallergologie. Amsterdam, VU University Press 2006:164-7.
- 29 Brand PLP. Luchtwegen. In: Lameer-Engel G red. Wat mankeert mijn kind? Arnhem, Terra; 2007:21-30.
- 30 Brand PLP. Allergieën. In: Lameer-Engel G red. Wat mankeert mijn kind? Arnhem, Terra; 2007:173-86.
- 31 Brand PLP, Wildhaber JH. Asthma. In: McIntosh N, Helms PJ, Smyth RL, Logan S. Forfar & Arneil's Textbook of Paediatrics, 7th ed. Edinburgh, Elsevier 2008: 689-97.
- 32 de Jongste JC, Brand PLP, Gerritsen J. Aandoeningen van de luchtwegen. In: van den Brande JL, Derksen-Lubsen G, Heymans HSA, Kollée LAA, red. Leerboek kindergeneeskunde. Een interactieve benadering in woord en beeld. Utrecht, de Tijdstroom 2009: 333-61.
- 33 Brand P. Impact Factor. Amsterdam, Nieuw Amsterdam Uitgevers 2009.
- 34 Brand P, Boendermaker P, Venekamp R. Klinisch onderwijs en opleiden in de praktijk. Houten, Prelum Uitgevers 2010 (ISBN 978-90-8562-094-5).
- 35 Brand PLP. Allergologie. In: Derksen-Lubsen G, Moll HA, Oudesluys-Murphy HM, Sprij AJ. Compendium kindergeneeskunde. Diagnostiek en behandeling. 4^e druk. Houten, Bohn Stafleu van Loghum; 2011: 273-81.
- 36 De Vries T, Brand P, Heineman E, red. Klinisch onderwijs en opleiden in de praktijk. Deel 2: organiseren, begeleiden, leiderschap. Houten, Prelum uitgevers 2012.
- 37 Brand P, van Teeffelen D. Het begin van de aios-carrière. In: De Vries T, Brand P, Heineman E, red. Klinisch onderwijs en opleiden in de praktijk. Deel 2: organiseren, begeleiden, leiderschap. Houten, Prelum uitgevers 2012: 1-11.
- 38 De Vries T, Mourits M, Brand P. Opleiden op de werkvloer. In: De Vries T, Brand P, Heineman E, red. Klinisch onderwijs en opleiden in de praktijk. Deel 2: organiseren, begeleiden, leiderschap. Houten, Prelum uitgevers 2012: 13-19.
- 39 Van de Wiel H, Brand P. Werkplekleren. In: De Vries T, Brand P, Heineman E, red. Klinisch onderwijs en opleiden in de praktijk. Deel 2: organiseren, begeleiden, leiderschap. Houten, Prelum uitgevers 2012:21-9.
- 40 Smeenk F, Brand P. De centrale opleidingscommissie. In: De Vries T, Brand P, Heineman E, red. Klinisch onderwijs en opleiden in de praktijk. Deel 2: organiseren, begeleiden, leiderschap. Houten, Prelum uitgevers 2012: 115-22.
- 41 Brand P, van Gent R. Hoesten. In: van Gent R, Merkus P, Pijnenburg M, Rottier B. Werkboek kinderlongziekten, 2^e druk. Amsterdam; VU University Press 2012: 21-8.
- 42 Brouwer M, Brand P. Pijn op de borst. In: van Gent R, Merkus P, Pijnenburg M, Rottier B. Werkboek kinderlongziekten, 2^e druk. Amsterdam; VU University Press 2012: 68-78.
- 43 De Groot, E, Brand P, de Vries TW. Lichamelijk onderzoek. In: van Gent R, Merkus P, Pijnenburg M, Rottier B. Werkboek kinderlongziekten, 2^e druk. Amsterdam; VU University Press 2012: 95-100.
- 44 Brand PLP, Boehmer AM, Vaessen-Verberne AAPH. Preschool wheezing. In: Eber E, Midulla F, eds. ERS Handbook. Paediatric Respiratory Medicine. Lausanne, European Respiratory Society 2013: 310-5.

45